



Auto Tech Industry

A Name You Can Trust



23+

Years of
Experience



500+

Aluminium
Profiles



37000+

Satisfied
Customers



+91 9350507754



www.autotechindustry.in



Since 2002

CASEMENT
DOOR


46

Casement Window Section


Series

CASEMENT WINDOW SECTION 40 MM

OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.01	0.561	0.560-0.590




ASSEMBLY

S. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.02	0.189	0.190-0.200

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.03	0.762	0.660-0.860




ASSEMBLY

BIG OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.04	0.881	0.850-0.940

D. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.05	0.162	0.135-0.190




ASSEMBLY

DOOR Z



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.06	0.860	0.750-0.970


BIG MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-40.07	0.850	0.740-0.960

CASEMENT WINDOW SECTION 50 MM

OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.01	1.033	0.940-1.130




ASSEMBLY

S. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.02	0.303	0.260-0.350

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.03	1.218	1.120-1.350




ASSEMBLY

D. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.04	0.234	0.200-0.270

WINDOW MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.05	1.114	0.970-1.255




ASSEMBLY

WINDOW Z




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.06	0.993	0.875-1.110

FLYING MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.07	0.667	0.590-0.750

BOTTOM



Section No.	Weight Kg/M
ATI-50.08	1.552


BIG OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.09	1.050	0.930-1.170

CASEMENT WINDOW SECTION 50 MM


ADOPTER




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.10	0.584	0.520-0.650




BIG DOOR MULLION



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.11	1.428	1.265-1.595



BIG DOOR Z



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-50.12	1.428	1.265-1.595




ESSENCE
OF
WINDOOR
SOLUTIONS

Window Sliding Section

Series


WINDOW SLIDING SECTION 27 MM

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.01	0.959	0.810-1.100

3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.02	1.458	1.240-1.670

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.03	0.813	0.715-0.910


S. G. HANDLE



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.04	0.906	0.800-1.010




INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.05	0.355	0.310-0.400

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.06	0.790	0.680-0.900

ZALI CLIP



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.07	0.134	0.120-0.150

ADD ON




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-27.08	0.418	0.120-0.170

WINDOW SLIDING SECTION


29 MM

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.01	1.576	1.410-1.730


RAIL TRACK



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.02	0.167	0.150-0.190




3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.03	2.136	1.900-2.370

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.04	0.799	0.700-0.900

INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.05	0.368	0.325-0.410

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.06	0.978	0.860-1.100




ASSEMBLY

ZALI CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.07	0.134	0.120-0.150

S. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.08	0.907	0.795-1.020



ASSEMBLY

3 TRACK WITHOUT LEG




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-29.09	0.526	0.460-0.590

WINDOW SLIDING SECTION


37 MM

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.01	1.985	1.785-2.190

3 TRACK





Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.02	2.963	2.660-3.260

3 TRACK WITH CAP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.03	0.317	3.025-3.600

3 TRACK




ASSEMBLY

RAIL TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.04	0.190	0.170-0.210

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.05	1.587	1.430-1.750

ZALI CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.06	0.134	0.120-0.150

S. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.07	1.466	1.310-1.620

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.08	1.329	1.190-1.470


INTERLOCK



Section No.	Weight Kg/M	Wt. Range Kg/M
ATI-37.09	0.634	0.550-0.715



ASSEMBLY



BOTTOM


**ALUMINIUM TOP
RAILING**

Railing Section


Series




RAILING SECTION TOP




Section No.	Weight Range
ATI-10.01	0.546 MTR




Section No.	Weight Range
ATI-10.02	0.918 MTR




Section No.	Weight Range
ATI-10.03	1.250MTR




Section No.	Weight Range
ATI-10.04	1.309 (KG/M)



Section No.	Weight Range
ATI-10.05	4.200-4.500/12'




Section No.	Weight Range
ATI-10.06	4.180-4.580/12'




Section No.	Weight Range
ATI-10.07	2.200-2.450/12'


RAILING SECTION BOTTOM




Section No.	Weight Range
ATI-20.01	2.620 (KG/M)




Section No.	Weight Range
ATI-20.02	0.285 (KG/M)




Section No.	Weight Range
ATI-20.03	2.549 (KG/M)




Section No.	Weight Range
ATI-20.04	2.000-2.300/12'



Section No.	Weight Range
ATI-20.05	1.100-1.350/12'




Section No.	Weight Range
ATI-20.06	5.127MTR




Section No.	Weight Range
ATI-20.07	3.548 KG




Section No.	Weight Range
ATI-20.08	1.774 KG




Section No.	Weight Range
ATI-20.09	0.744 KG



Section No.	Weight Range
ATI-20.10	7.030-7.250/12'




Section No.	Weight Range
ATI-20.11	19.240-19.540/12'




Section No.	Weight Range
ATI-20.12	1.868 KG


RAILING SECTION BOTTOM




Section No.	Weight Range
ATI-20.13	20.680-21.150/12'



Section No.	Weight Range
ATI-20.14	12.500-12.980/12'



Section No.	Weight Range
ATI-20.15	2.130 TO 2.310 /12'




Section No.	KG / MTR
ATI-20.16	5.21/1MTR




Gate Profile

Design & Build


GATE PROFILE Design & Build




Section No.	KG/FT
ATI-80.01	3.4 / 12'



Section No.	KG/FT
ATI-80.02	3.8 / 12'




Section No.	KG/FT
ATI-80.03	2.840 / 12'




Section No.	KG/FT
ATI-80.04	2.510-2.700 / 12'



Section No.	KG / FT
ATI-80.05	3.0 / 12'



Section No.	KG / FT
ATI-80.06	3.6 / 12'




Section No.	KG / FT
ATI-80.07	6.150-6.350 / 12'




Section No.	KG/FT
ATI-80.08	3.2 / 12'




Section No.	KG / FT
ATI-80.09	6.9 / 12'



Section No.	KG / FT
ATI-80.10	6.5 / 12'




Section No.	KG / FT
ATI-80.11	5.8 / 12'




Section No.	KG/FT
ATI-80.12	6.315/12'


GATE PROFILE Design & Build



Section No.	KG/FT
ATI-80.13	4.265 / 21'




Section No.	KG/FT
ATI-80.14	6.1 / 12'



Section No.	KG/FT
ATI-80.15	4.45 / 12'




Section No.	KG/FT
ATI-80.16	5.4 / 12'




Section No.	KG / FT
ATI-80.17	7.4 / 12'



Section No.	KG / FT
ATI-80.18	8.0 / 12'



Section No.	KG / FT
ATI-80.19	6.315 / 12'



Section No.	KG/FT
ATI-80.20	5.29 / 12'




Section No.	KG / FT	T (mm)
ATI-80.21	4.4 / 12'	1.7
	5.5 / 12'	2.5



Section No.	KG / FT
ATI-80.22	5.35 / 12'






Section No.	KG/FT
ATI-80.23	6.3 / 12'



Section No.	KG/FT
ATI-80.24	6.210 - 6.420 / 12'



GATE PROFILE Design & Build



Section No.	KG/FT
ATI-80.25	6.460-6.680 / 12'

Section No.	KG / FT
ATI-80.26	1.650-1.860 / 12'




Section No.	KG / FT	T (MM)
ATI-80.27	3.2 / 12'	???????



Section No.	KG/FT
ATI-80.28	3.8 / 12'

Section No.	KG / FT
ATI-80.29	2 / 12'



Section No.	KG / FT
ATI-80.30	2.100 / 12'



Section No.	KG / FT
ATI-80.31	6.5 / 12'

Section No.	KG/FT
ATI-80.32	6 / 12'

Section No.	KG/FT
ATI-80.33	7.100 / 12'




Section No.	KG/FT
ATI-80.34	4.3 / 12'


Section No.	KG/FT
ATI-80.35	2.100 / 12'

Section No.	KG/FT
ATI-80.36	3.240-3.450 / 12'


GATE PROFILE Design & Build




Section No.	KG / FT
ATI-80.37	4.000-4.250 / 12'




Section No.	KG / FT
ATI-80.38	5.400-5.600 / 12'




Section No.	KG / FT
ATI-80.39	7.700-10.000 / 12'




Section No.	KG / FT
ATI-80.40	4.140-4.400 / 12'




Section No.	KG / FT
ATI-80.41	3.650-3.850 / 12'




Section No.	KG / FT
ATI-80.42	3.310-3.550 / 12'




Section No.	KG / FT
ATI-80.43	4.200-4.450 / 12'




Section No.	KG / FT
ATI-80.44	4.680-4.930 / 12'




Section No.	KG / FT
ATI-80.45	4.850-5.000 / 12'



Section No.	KG / FT
ATI-80.46	1.800-2.000 / 12'





Section No.	KG / FT
ATI-80.47	3.100-3.250 / 12'



Section No.	KG / FT
ATI-80.48	3.220-3.400 / 12'




GATE PROFILE Design & Build



Section No.	KG / FT
ATI-80.49	2.680-2.850 / 12'

Section No.	KG / FT
ATI-80.50	3.640-3.850/12'



Section No.	KG/FT
ATI-80.51	4.800-5.000/ 12'



Section No.	KG / FT
ATI-80.52	5.660-5.850/ 12'

Section No.	KG / FT
ATI-80.53	7.140-7.300. / 12'




Section No.	KG / FT
ATI-80.54	6.390-6.550 / 12'



Section No.	KG/FT
ATI-80.55	3.190-3.300/12'

Section No.	KG/FT
ATI-80.56	3.780-3.900 / 12'

Section No.	KG/FT
ATI-80.57	2.560-2.750 / 12'





Section No.	KG/FT
ATI-80.58	1.860-2.050 / 12'

Section No.	KG/FT
ATI-80.59	3.830-4.100 / 12'


Section No.	KG / FT
ATI-80.60	5.670-5.850 / 12'

GATE PROFILE Design & Build




Section No.	KG / FT
ATI-80.61	3.080-3.250 / 12'

Section No.	KG / FT
ATI-80.62	5.070-5.250/12'




Slim
Structural Profiles


Design & Build



SLIM STRUCTURAL PROFILE DESIGN & BUILD




Section No.	Cut Length	Description
SL-001	3000MM	SLIM GLAZE FIX 25*45



Section No.	Cut Length	Description
SL-002	3000MM	SLIM GLAZE FOLDING BLOCK



Section No.	Cut Length	Description
SL-003	3000MM	SLIM GLAZE FOLDING CLIP



Section No.	Cut Length	Description
SL-004	3000MM	SLIM GLAZE BLOCK




Section No.	Cut Length	Description
SL-005	3000MM	FOR 10MM GLASS




Section No.	Cut Length	Description
SL-006	3000MM	FOR 12MM GLASS



Section No.	Cut Length	Description
SL-007	3000MM	COVER SUITABLE FOR FOUR WAY



Section No.	Cut Length	Description
SL-008	3000MM	GLASS PARTITION SLIM GLAZE FIX




Section No.	Cut Length	Description
SL-009	3000MM	GLASS PARTITION SLIM GLAZE MALE



Section No.	Cut Length	Description
SL-010	3000MM	GLASS PARTITION SLIM GLAZE FEMALE



Section No.	Cut Length	Description
SL-011	3000MM	DOOR FRAME COVER




Section No.	Cut Length	Description
SL-012	3000MM	DATA PATTI

SLIM STRUCTURAL PROFILE DESIGN & BUILD




Section No.	Cut Length	Description
SL-013	3000MM	DOOR FRAME STYLE DOOR FEMALE




Section No.	Cut Length	Description
SL-014	3000MM	DOOR FRAME STYLE DOOR MALE




Section No.	Cut Length	Description
SL-015	3000MM	DOOR FRAME STYLE DOOR




Section No.	Cut Length	Description
SL-016	3000MM	SLIM GLAZE GRID FOR DOOR




Section No.	Cut Length	Description
SL-017	3000MM	SLIM GLAZE FOUR WAY




Section No.	Cut Length	Description
SL-018	3000MM	VERTICAL 42 * 10




Section No.	Cut Length	Description
SL-019	3600MM	TOP & BOTTOM 42 * 32



Section No.	Cut Length	Description
SL-020	4800MM	SYNCHRO TRACK




Section No.	Cut Length	Description
SL-021	4800MM	COVER FOR SYNCHRO TRACK



Section No.	Cut Length	Description
SL-022	4800MM	TELESCOPIC TRACK



Section No.	Cut Length	Description
SL-023	4800MM	COVER FOR TELESCOPIC TRACK






Section No.	Cut Length	Description
SL-024	3000MM	VERTICAL 45 * 16



Slim Sliding Framed

Series



SLIM SLIDING FRAMED SERIES



Section No.	Cut Length	Description
SL-025	3600MM	TOP & BOTTOM 45 * 30

Section No.	Cut Length	Description
SL-026	3600MM	DIVIDER FOR FOR 45 * 16

Section No.	Cut Length	Description
SL-027	3000MM	VERTICAL 32 * 17



Section No.	Cut Length	Description
SL-028	3600MM	TOP & BOTTOM 32 * 30


Section No.	Cut Length	Description
SL-029	3000MM	GRID FOR 15 * 10

Section No.	Cut Length	Description
SL-030	3600MM	GRID FOR 20 * 10




Section No.	Cut Length	Description
SL-031	3600MM	GRID FOR 15 * 15


SLIM SLIDING FRAMED SERIES



Section No.	Size
25.02	2600 3600




Section No.	Size
25.08	2600 3600




Section No.	Size
25.06	2600 3600


INTEGRATED PAITAM




Section No.	Size
D45.04	



Section No.	Size
D45.01	2600 3600




Section No.	Size
D45.02	2600 3600




Section No.	Size
D45.03	2600 3600


DOOR JAMB




Section No.	Size
DJ 100/75.03	2600 3600




Section No.	Size
45.02	2600 3600




Section No.	Size
45.08	2600 3600




Section No.	Size
45.06	2600 3600




Section No.	Size
45.07	2600 3600




Section No.	Size
75.02	2600 3600



Section No.	Size
75.08	2600 3600




Section No.	Size
75.06	2600 3600




Section No.	Size
75.07	2600 3600


SLIM SLIDING FRAMED SERIES




Section No.	Size
100.02	2600 3600



Section No.	Size
100.08	2600 3600



Section No.	Size
100.06	2600 3600



Section No.	Size
100.07	2600 3600

Thank you!



Since 2002



Main Head Office

Near Infinity Badminton Club, Gyandeeep Public School, Sector 5, Gurugram, Haryana - 122001



Timing

Monday to Saturday: 10:00 AM - 07:00 PM



Email

info@autotechindustry.in



Phone

+91 93505 07754



Website

www.autotechindustry.in

Trading Shops & Branches

1

Main Bus Stand,
Hayatpur, Sector 93,
Gurugram

2

Village Islampur, Near
JMD Garden, Sohna
Road, Gurugram

3

Near Rapid Metro
Pillar 12, Sikanderpur,
Gurgaon

4

Village Wazirabad,
Near D.K. Paints,
Gurgaon

5

Near Celebration
Garden, Sheetla Mata
Mandir Road, Gurgaon

6

Near Bharat Petrol
Pump, Sohna